# Oak in the interior: style, coziness, durability





CATALOG **2025** 



## Oak is our passion



We have extensive knowledge in timber production and a deep respect for oak. Oak is limited natural resource. We responsibly use mature timber to manufacture flooring, doors and stairs. We only use premium quality, matured oaks, over 120 – 140 years old which is processed at our sawmill. We ensure the highest levels of quality control from start to finish.

## Why us?

Leading manufacturer of Premium Oak Flooring, Oak Doors, Oak Stairs, Oak Panels.

Guaranteed delivery of the finished products with a short lead-time.

Our prices are among the most competitive in the market.

Excellence is what we have become renowned for.



Oak Flooring



Oak Doors



**Oak Stairs** 



Oak Panels



















## Oak flooring



Our engineered oak flooring is designed for maximum stability and is ideal for underfloor heating. We use environmentally friendly materials of the highest quality. Oak flooring is treated with a hard - wax oil and is extremely durable and easy to look after. Oak flooring brings a natural beauty and authenticity to any interior. It lasts a lifetime, whilst adding value to your home.



#### Designed to suit individual needs

Your imagination is the limit.
Our craftsmen will satisfy even the most demanding customers. We manufacture and deliver our products according to customer needs and specifications. Human creativity only enhances nature's design.



#### Ideal for underfloor heating

Oakwood is a hardwood which is durable and has superior thermal conductivity properties.

We manufacture two-layer and threelayer engineered oak planks which offer maximum stability and are ideal for underfloor heating.



#### Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, manufacturing and offer a warranty for 5 years.

## Variety of options



Surface:
Brushed
Cross-brushed
Distressed (aged)



Oak grading:
Premium
Select
Original
Rustic
Rustic Loft



Floorboards width: 115 mm 140 mm

140 mm 180 mm 230 mm




Floorboards length: 500–2400 mm

#### **Constructions**


2-Layer Construction, based on "Ecoboard"




#### 2-Layer Construction, based on Plywood




#### 3-Layer Construction Symmetrically Balanced






#### **Laying patterns**




Planks



Chevron 30°




Chevron 45°




Herringbone 90°


#### New




Diamond




Arrows




Art Deco



Storm



Double Herringbone



Rhomb

### Oak doors



Our solid oak interior doors offer a perfect combination of style and exceptional quality. All our doors are manufactured to custom measurements. They are long-lasting and durable and can come with a variety of stylish hardware options.



#### Designed to suit individual needs

Wide range of models and surface finishes. Our robotized CNC machines ensure precision and allow us to create a wide range of designs.



#### **Durability**

Doors are made from the highest quality mature oak. Our doors are durable and effectively insulate sound. We use environmentally friendly materials of the highest quality.



#### **Highest quality**

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, manufacturing and offer a warranty for 5 years.

## Included components:



Door leaf (engineered oak)



Door frame (engineered oak)



Mouldings (veneered oak)



Hinges



Lockset

## Door measurements:


All our doors are manufactured to custom measurements.


Standart measurements: Door frame width (mm): 80–125 Door leaf width (mm): 700-950 Door leaf height (mm): up to 2200

Prices may vary for non-standard sizes.

## Door construction:










## Oak door mouldings:

Oak mouldings are treated with natural drying SAICOS (Germany) oil or painted finishes. The range of colors allows the perfect matching of the door and the interior style. Different models are available as well as surface finishing techniques. Mouldings base – finger-jointed oak. Top layer – natural oak veneer.



KL 22 x 90 F



#### **Door models**

#### Modern style solid oak door 🔘 👜





This model of door is gaining increasing popularity due to it's distinguished, expressive solid oak plane. For customers looking for exclusivity, we offer a milled panel: a pattern of vertical or horizontal lines manufactured with precision by intelligent robotic machines, creating a play of light, thus bringing a vibrant ever-changing impression to your interior space.











MODERN PREMIUM



MODERN SELECT



MODERN SELECT



MODERN H ORIGINAL



MODERN H ORIGINAL

#### Flemish style solid oak door 💍




This amazing model is extremely popular in Belgium, but excitement has been growing in other European countries during recent years amongst customers who are looking for authenticity and a novel approach. This Flemish style door captivates the imagination with its naturalness, whilst effortlessly creating the impression of an extraordinary and stylish interior.




PLANK SELECT



PLANK ORIGINAL



PLANK PREMIUM



PLANK SELECT



PLANK ORIGINAL




#### Scandinavian style solid oak door 🕍



Painted doors are perfect choice for those who prefer the Scandinavian style. Vertical lines in combination with horizontal planes create a dynamic, minimalistic impression of reserved luxury. Furthermore, you can choose white-painter doors or any colour option from the RAL and NCS colour palette.



















#### Classic style solid oak door





This style is perfect for those who cherish and respect tradition, experience, and elaborate taste. Wide selection of models: oil finishes or colored to the preference of RAL and NCS pallets. All models reflect the beauty and strength of natural oakwood. Individually selected handles and other door accessories just add a touch of subtle luxury for a remarkable impression of style.











## Skirtings

The range of colours match perfectly with flooring, doors, stairs, and overall interior style. A wide range of models and surface treatments are available.

#### Oak base, veneered



Skirtings can be treated with natural drying oil SAICOS (Germany) or painted in any RAL/ NCS collection colors. Top layer: natural Oak Venner. Base: finger-jointed Oak.



12 x 48 x 2500 mm



12 x 68 x 2500 mm



SF-12x90 F 15 x 120 x 2500 mm



SF-15x120 F 15 x 120 x 2500 mm



KL-20x120 F 20 x 120 x 2500 mm

#### MDF base. veneered







Skirtings can be treated with natural drying oil SAICOS (Germany) or painted in any RAL/ NCS collection colors. Top layer: natural Oak Venner. Base: moisture resistant MDF.



12 x 48 x 2400 mm



FA-12x68 MDF 12 x 68 x 2400 mm



FA-12x90 MDF 12 x 90 x 2400 mm



FA-15x120 MDF 15 x 120 x 2400 mm



FA-20x120 MDF 20 x 120 x 2400 mm

#### MDF base, impregnated Paper-foil



Skirtings can be painted in any RAL/ NCS collection colors. Top layer: impregnated

paper-foil.

Base: moisture resistant MDF.



SF-12x48 MDF 12 x 48 x 2400 mm



SF-12x68 MDF 12 x 68 x 2400 mm



SF-12x90 MDF



SF-15x120 MDF




SF-20x120 MDF 



SF-15x126 MDF 16 x 126 x 2400 mm



### Oak stairs



The staircase is a focal point of every home decor. A well selected, high quality oak staircase will add a touch of class to your interior and will increase the value of your home.



#### Designed to suit your individual needs

We design and manufacture oak stairs according to individual needs. Wide range of colors and manufacturing technologies allow us to produce oak stairs which are convenient, stylish and ideally suited to your interior.



#### State-of-the-art production

Robotized CNC machines ensure precision and allow us to create a wide range of designs.

Performing precision cutting and machining of stair treads, stair frames and decor elements according to computerised drawings.



#### Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, timber grading, manufacturing and quality control.

#### Construction



Steps on Concrete Staircase, Full Wooden Construction Staircase, Steps on Metal Staircase.

## Variety of options



Steps



Newels



Balusters



Handrails

#### Oak treads

Oak treads are prefinished in naturally drying oil or varnished. The range of colours allows matching with flooring, doors, skirtings or overall interior style. Various surface prefinishing techniques used.

#### Type DA4

Glued oak panel (finger-jointed). Block width 40 mm.



#### Type DA7

Glued oak panel (finger-jointed). Block width 70 mm.



#### Type MI

Engineered oak panel. 3,5 mm solid oak lamella on the top and bottom. Finger-jointed oak blocks inside.



#### Type MK Rustic

Full stave solid oak panel. Rustic oak grade.



### Oak panels and worktops



Oak panels and worktops are produced gluing together high quality finger-jointed solid oak blocks. Oak wood is hard, durable and perfect for European climate. You can make various joinery products out of Ecowood glued oak panels that are suitable for different purposes.



#### Produced to suit individual needs

We manufacture variuos glued oak panels and worktops suitable to your individual needs and fit to very different purposes. Our manufacturing technologies allow us to produce maximum stability oak panels convenient for further production.



#### Slowest-drying modes

Wood drying is an important preparatory stage in wood processing which determines the durability of the end product. We do use the best kiln drying technologies working under slowest drying modes and ensure continuous temperature and humidity control.



#### Highest quality

We control and take responsibility for the entire supply chain: from wood selection, delivery to our factory, timber preparation, kiln drying, timber grading, manufacturing and quality control.

## Range of panels and worktops



Grading: A/A C/C



Thickness (mm) 20 38 42



Width (mm): 630 670



Length (mm): 2350 2500

Prices may vary for non-standard sizes.



#### Type DA4/ DA7

Glued oak panel (finger-jointed) produced from 40 mm or 70 mm widthblocks of high-quality, kiln dried solid oak.
Supplied raw (unfinished).





#### Type MI

Solid-engineered oak panel, produced from 4 mm oak lamella glued on top and bottom (double-sided) of glued finger-jointed oak panel.
Supplied raw (unfinished).





#### **Type MK Rustic**

Full stave solid oak panel. Supplied raw (unfinished).







## Flooring, doors, stairs, skirtings color palette

#### **NATURAL SHADES**



3305/3200 Colorless oil



3418 Pear



3081 Light walnut



3458 Oak



3408 Extra white



E-5454 Naturale



3409 Transparent white



E-2410 Ivory



3417

Grev

3413 Birch



P-5200 Pure Nature, lacquer

#### **DARK SHADES**



3490 Ebony



Q-3479 Aqua Antique



Q-3490 Aqua Ebony



E-5019 Deep Black



T-2895 Chiana

#### **BROWN SHADES**



3477 Graphite



3479 Antique



3481 Walnut



3485 Rosewood



4007 Granola



4010 Latte

C-3418 Cacao



E-7605 Tobacco

#### GREY SHADES



4008 Platinum



E-8632 Silk



Q-2118 Dunes



T-3094 Bagno Vignoni



Q-3408 Aqua extra white



T-6099 Siena



Q-3409 Aqua transparent white




Q-4505 Silver dust



N-3408 Nordic







We are ready to provide more information and we believe that we will find best possible options for cooperation.

www.ecowood.eu

+370 652 27 206 sales@ecowood.eu

ECOWOOD UAB Statybininkų str. 1 LT-54222 Vilkija, Kaunas distr. Lithuania



